

In reply to your enquiry, there are **High Pressure Gas Mains** in the vicinity of your intended work, as generally illustrated on the attached map. There may also be other mains or services at the location, as discussed in the warning below. For an explanation of the map, please see the key below.

The following excavations guidelines apply:

### Excavation Guidelines:

Prior to **any** excavations in this area, you **must** contact the High Pressure Response Coordinator on **1300 665 380**. **(Appointments will be coordinated with availability of a Jemena Representative)** to arrange a survey. For all works in the vicinity of High Pressure Gas Mains you must arrange for a Jemena Representative to attend and supervise all excavations. Charges apply for attendance of any works outside the hours of 7am to 4pm, Monday to Friday ("**Standard Business Hours**") and for any attendance during Standard Business Hours that is longer than 2 hours.

In accordance with clause 34(5) of the Gas Supply (Safety and Network Management) Regulation 2013 (NSW), you should be informed that all excavation, (including pot-holing by hand to confirm the location of pipes) should be performed in accordance with "**Work Near Underground Assets Guideline**" published in 2007 by the Work Cover Authority.

A copy of this Guideline is available at: [www.workcover.nsw.gov.au](http://www.workcover.nsw.gov.au)

KEY					
Main	In Service	Proposed	High Pressure Main & Pipeline	In Service	Proposed
Unknown Pressure	-----	-----	Critical Main (Treat as High Pressure Main)		
Distribution - 2 kPa	-----	-----	Secondary Network - 1050 kPa		
Distribution - 7 kPa	-----	-----	Isolated Steel Main (Treat as High Pressure Main)	-----	
Distribution - 30 kPa	-----	-----	Primary - 3500 kPa		
Distribution - 100 kPa	-----	-----	JGN Trunk - 4000 to 14500 kPa		
Distribution - 210 kPa	-----	-----	Transmission		
Distribution - 300 kPa	-----	-----			
Distribution - 400 kPa	-----	-----			
Proposed Isolate (coloured according to kPa)	-----	-----	50mm Nylon main inserted into 6 inch (Nominal Bore) Cast Iron Main		
Isolated Service	-----	-----	32mm Nylon main inserted into 50mm Steel Main		
Conduit or Casing			~1.5 = Distance in metres of Main from Boundary Line		
Size & Material	100 PVC		MBK = Metres Back of Kerb MFL = Metres from Fence Line		
(PL - Plastic, PVC, PE, NY, ST)					
			Fittings, Valves & Regulators		
			Regulator Set		
			Regulator Station		
			Automatic Line Break Valve		
			Valve		
			Siphon		

**Warning:** The enclosed plans show the position of Jemena Gas Networks (NSW) Ltd's underground gas mains and installations in public gazetted roads only. **Individual customers' services and services belonging to other third parties are not included** on these plans. These plans have been prepared solely for the use of Jemena Gas Networks (NSW) Ltd and Jemena Asset Management Pty Ltd (together "**Jemena**") and any reliance placed on these plans by you is entirely at your own risk. The plans may show the position of underground mains and installations relative to fences, buildings etc., as they existed at the time the mains etc were installed. The plans may not have been updated to take account of any subsequent change in the location or style of those features since the time at which the plans were initially prepared. Jemena makes no warranty as to the accuracy or completeness of the enclosed plans and does not assume any duty of care to you nor any responsibility for the accuracy, adequacy, suitability or completeness of the plans or for any error, omission, lack of detail, transmission failure or corruption in the information provided. Jemena does not accept any responsibility for any loss that you or anyone else may suffer in connection with the provision of these plans, however that loss may arise (including whether or not arising from the negligence of Jemena, its employees, agents, officers or contractors). The recipient of these plans must use their own care and diligence in carrying out their works and must carry out further surveys to locate services at their work site. Persons excavating or carrying out other earthworks will be held responsible for any damage caused to Jemena's underground mains and equipment. Jemena advises that you may be required to carry out potholing by hand if required by a Jemena Representative to confirm the location of Jemena's main and installations. This must also be performed by you under the supervision of a Jemena Representative and be carried out in accordance with the Working Near Underground Assets Guideline published in 2007 by Work Cover Authority

**In case of Emergency Phone 131 909 (24 hours)**

Admin  
1300 880 906